

Docket No. 242246US2TTC

IN RE APPLICATION OF: Yoshihiro IKEDA, et al.

SERIAL NO: 10/653,241

FILED: September 3, 2003

FOR: X-RAY CT APPARATUS AND METHOD OF MEASURING CT VALUES



COMMISSIONER FOR PATENTS
ALEXANDRIA, VIRGINIA 22313

SIR:

Transmitted herewith is an amendment in the above-identified application.

- ☐ No additional fee is required
- ☐ Small entity status of this application under 37 C.F.R. §1.9 and §1.27 is claimed.
- ☒ Additional documents filed herewith: Petition for Extension of Time - 2 Months

The Fee has been calculated as shown below:

CLAIMS	CLAIMS REMAINING		HIGHEST NUMBER PREVIOUSLY PAID	NO. EXTRA CLAIMS	RATE	CALCULATIONS
TOTAL	10	MINUS	30	0	x \$50 =	\$0.00
INDEPENDENT	6	MINUS	6	0	x \$200 =	\$0.00
		<input type="checkbox"/> MULTIPLE DEPENDENT CLAIMS			+ \$360 =	\$0.00
		TOTAL OF ABOVE CALCULATIONS				\$0.00
		<input type="checkbox"/> Reduction by 50% for filing by Small Entity				\$0.00
		<input type="checkbox"/> Recordation of Assignment			+ \$40 =	\$0.00
		TOTAL				\$0.00

- ☐ A check in the amount of **\$0.00** is attached.
- ☒ Credit card payment form is attached to cover the fees in the amount of **\$450.00**
- ☒ Please charge any additional Fees for the papers being filed herewith and for which no check or credit card payment is enclosed herewith, or credit any overpayment to deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.
- ☒ If these papers are not considered timely filed by the Patent and Trademark Office, then a petition is hereby made under 37 C.F.R. §1.136, and any additional fees required under 37 C.F.R. §1.136 for any necessary extension of time may be charged to Deposit Account No. 15-0030. A duplicate copy of this sheet is enclosed.

OBLON, SPIVAK, McCLELLAND,
MAIER & NEUSTADT, P.C.

Katherine P. Barecchia

Eckhard H. Kuesters

Registration No. 28,870

Customer Number

22850

Tel. (703) 413-3000
Fax. (703) 413-2220
(OSMMN 05/03)

I:\ATTY\KDP\24\S\242246US\242246US AMEND CVR LT 8.31.05.DOC

Katherine P. Barecchia

Registration No. 50,607